

- General Notes**
1. Maintain R38 minimum insulation for attics and roofs, typ.
 2. Maintain R13 minimum insulation for exterior walls
 3. All window/door glazing deemed hazardous per 2015 IRC R308.4 will be tempered as required.
 4. Garage will be separated per 2015 IRC 302.5/6 by no less than 1/2" gypsum board or equivalent
 5. Provide smoke detector system (hardwired, interconnected, battery back-up) at each sleeping room and vicinity in accordance with IRC R314
 6. Provide carbon monoxide detectors in vicinity of sleeping rooms in accordance with IRC R315

RB ARCHITECT, PLLC



ARCHITECTURE
INTERIOR
COMMERCIAL
RESIDENTIAL




FOURTH WORKSHOP

Revisions:

EXPOSITION BLVD RESIDENCE
2625 Exposition Blvd. Austin, TX 78703

RB ARCHITECT PLLC
11502 Knipp Cove
Austin, Texas 78739
(512) 791-2986
roelbazan48@gmail.com

Drawn by: IB
Checked by: DA
02.16.2024



City of Austin
REVIEWED FOR CODE COMPLIANCE

Copyright © 2024
These drawings are the property of the designer and may not be distributed, published, or reproduced in any form without written consent of the designer.

ANY REPRODUCTION OF THESE PRINTS IS PROHIBITED BY FEDERAL COPYRIGHT LAWS. ANY ILLEGAL REPRODUCTION WILL BE AGGRESSIVELY PURSUED TO THE FULLEST EXTENT OF THE COPYRIGHT LAW.



1 Second Floor Plan
Scale: 1/4" = 1'-0"

Second Floor Plan
A1.02